

Fortus 450mc

Industrial FDM technology with an open material ecosystem for advanced prototyping, tool production and end-use parts.

Bring the speed, agility and design freedom of advanced additive manufacturing to your business while gaining the latest advances in FDM® technology. The Fortus 450mc™ 3D printer builds high-requirement functional prototypes, rugged manufacturing tooling and custom production parts in its large 406 x 355 x 406 mm (16 x 14 x 16 in.) build envelope. Fourteen Stratasys Preferred Materials¹, multiple Stratasys Validated Materials² and soluble support address a wide variety of applications.

OpenAM™ software lets users alter print parameters to optimize material capabilities and print results. GrabCAD Print™, GrabCAD Print Pro™, and Insight™ software provide an easy CAD-to-print workflow and in-depth print processing control. MTConnect and Stratasys Software Development Kits let you integrate the Fortus 450mc into your connected factory floor. Data security, including U.S. Department of Defense STIG compliance, is provided by Stratasys ProtectAM™ technology.

System Specifications

Build Envelope (XYZ)	450mc: 406 x 355 x 406 mm (16 x 14 x 16 in.)
Material Delivery	450mc: Two bays each for material and support canisters. Auto changeover between canisters

Material Options

Stratasys Preferred Materials

Material	Layer Thickness				Support Structure	Available Colors
	0.330 mm (0.013 in.)	0.254 mm (0.010 in.)	0.178 mm (0.007 in.)	0.127 mm (0.005 in.)		
ABS-ESD7™	○	●	●	○	Soluble	■ Black
ABS-M30™	●	●	○	●	Soluble	■ Ivory ■ Black ■ Blue □ White ■ Red ■ Dark Gray
ABS-M30i™	●	●	●	●	Soluble	■ Ivory
Antero™ 800NA	○	●	○	○	Breakaway	■ Natural
Antero 840CN03	○	●	○	○	Breakaway	■ Natural
ASA	●	●	●	●	Soluble	■ Black ■ Dark Gray ■ Light Gray □ White ■ Ivory ■ Dark Blue ■ Green ■ Yellow ■ Orange ■ Red
FDM Nylon 12™	●	●	●	○	Soluble	■ Black
FDM Nylon 12CF™	○	●	○	○	Soluble	■ Black
PC	●	●	●	●	Breakaway, Soluble	□ White
PC-ABS	●	●	●	●	Soluble	■ Black
PC-ISO™	●	●	●	○	Breakaway	■ Translucent ■ Natural □ White
ULTEM™ 9085 resin	●	●	○	○	Breakaway	■ Tan ■ Black
ULTEM™ 1010 resin	●	●	○	○	Breakaway	■ Natural
ST-130	●	○	○	○	Breakaway	■ Tan

¹Stratasys Preferred Materials are developed by Stratasys or a third-party provider, and have been engineered and tested to provide the optimal combination of material and printer performance.

²Stratasys Validated Materials are developed by Stratasys or a third-party provider, meet Stratasys quality standards, and have received basic reliability testing for use with Stratasys FDM printers.

Fortus 450mc

Material Options

Stratasys Validated Materials

Material	Layer Thickness				Support Structure	Available Colors	
	0.330 mm (0.013 in.)	0.254 mm (0.010 in.)	0.178 mm (0.007 in.)	0.127 mm (0.005 in.)			
FDM HIPS	○	●	○	○	Breakaway	■ Light Gray	
Kimya PC-FR	○	●	○	○	Soluble	■ Light Gray	
ULTEM® 9085 Resin (colored)	○	●	○	○	Breakaway	■ Red □ White 7362 ■ JanaWhite ■ Dream Gray	■ Gunship Gray ■ Aircraft Gray
PC (polycarbonate)	○	●	○	○	Soluble	■ Red	■ Black
PC-ABS (polycarbonate/ABS blend)	○	●	○	○	Soluble	■ Red	

Other Specifications

System Size and Weight	129.5 cm x 90.2 cm x 198.4 cm (51 x 35.5 x 78.1 in.) 601 kg (1325 lbs.)
Achievable Accuracy	Parts are produced within an accuracy of $\pm .127$ mm ($\pm .005$ in.) or $\pm .0015$ mm/mm ($\pm .0015$ in/in), whichever is greater. Z part accuracy includes an additional tolerance of -0.000 /+slice height. Note: Accuracy is geometry dependent. Achievable accuracy specification derived from statistical data at 95% dimensional yield.
Network Communication	10/100 base T connection. Ethernet protocol.
Operator Attendance	Limited attendance for job start and stop required.
Power Requirements	208VAC 3 phase, 50/60 Hz, consumes 18 Amps
Regulatory Compliance	CE, cTUVus, RCM, EAC, FCC Part B
Software	All Fortus systems include Insight™ and Control Center™ job processing and management software. Compatible with GrabCAD Print™ and GrabCAD Print Pro™ for use with job reports, scheduling and remote monitoring. OpenAM software is available through the purchase of an Open Material License.
Operating System	Microsoft Windows 10 (Pro, Enterprise, Education), Microsoft Windows 8.1 and Windows 8 (Pro, Enterprise), Microsoft Windows 7 (Pro, Enterprise, Ultimate), Microsoft Windows Server 2012 R2. Insight software requires a 64-bit operating system.



alphacam GmbH
Erlenwiesen 16
D-73614 Schorndorf
Tel.: +49 (0) 71 81 92 22 - 0
info@alphacam.de

alphacam austria GmbH
Handelskai 92, Gate1 / 2. OG / Top A
A-1200 Wien
Tel.: +43 (0) 1 36 19 600 - 0
info@alphacam.at

alphacam swiss GmbH
Zürcherstrasse 14
CH-8400 Winterthur
Tel.: +41 (0) 52 - 262 07 - 50
info@alphacam.ch



alphacam.de
.at
.ch